

# AXE7800 Tri-Band Wi-Fi 6E Router

MODEL: EX920



### **Overview**

EX920 is a high-performance Wi-Fi 6E Tri-band mesh wireless router with two 2.5Gbps Ethernet ports and one USB 3.0 port. Deliver even more faster Wi-Fi speeds with less interference and congestion while being backwards compatible with 802.11a/b/g/n/ac Wi-Fi devices. Perfect for FTTH deployment and a fully connected home.



## AXE7800 Tri-Band Wi-Fi

Deliver total Wi-Fi speeds up to 7.8 Gbps across 6 GHz, 5 GHz, and 2.4 GHz bands for even faster speeds, lower latency, and better online experience.



## Works on 6 GHz Band

Minimize congestion with greenfield spectrum to enable high-bandwidth applications that require faster data throughput.



## 2.5G Wired Connection

Take full use of the bandwidth speeds to 2.5 Gbps throgh a 2.5 GE WAN port and a 2.5 GE LAN port for even faster internet access and wired connection.



### **Easy Remote Management**

TR-069 and TR-369 protocols, Aginet app, and TAUC (TP-Link Aginet Unified Cloud) are supported, service providers can manage multiple devices remotely.



## **Specifications**

#### Hardware

Interface

1× 10/100/1000/2500 Mbps RJ45 WAN Port,

1× 10/100/1000/2500 Mbps RJ45 LAN Port,

2× 10/100/1000 Mbps RJ45 LAN Ports,

1× USB 3.0 Port

Antenna

Internal Wi-Fi antennas

External Power Supply

12VDC/3.3A

Dimensions (W \* D \* H)

4.5 × 4.5 × 9.1 in (115 × 115 × 232 mm)

• Button

Power On/Off Button, Reset Button, Wi-Fi On/Off Button, WPS Button

• CPU

2 GHz ARM Quad-Core CPU

### **Wireless**

• Wireless Standards

IEEE 802.11ax 6GHz, IEEE 802.11a/n/ac/ax 5GHz, IEEE 802.11b/g/n/ax 2.4GHz

Mesh Protocol

802.11k/v/r

Frequency

2.4GHz, 5GHz, and 6GHz

• Signal Rate

574 Mbps on 2.4GHz, 4804 Mbps on 5GHz, 2402 Mbps on 6GHz

• Transmit Power

CE: <20dBm (2.4GHz); <23dBm (5GHz); <23dBm (6GHz) FCC: <30dBm (2.4GHz); <30dBm (5GHz); <30dBm (6GHz)

· Wireless Security

WPA/WPA2/WPA3 Personal, WPA2 Enterprise

• Wireless Function

Enable/Disable Wireless Radio, WMM, Wireless Statistics, Multi-SSID, Guest Network, TX Beamforming

Wireless Schedule

Supports 2.4 GHz, 5 GHz, and 6 GHz Wireless Schedule

EasyMesh Support

Seamless Roaming, Self-healing, 80211k/v/r Support

### **Software**

· Working Mode

Router Mode, Access Point Mode

• WAN Type

Dynamic IP/Static IP/PPPoE/PPTP/L2TP/Bridge

Protocols

Supports IPv4 and IPv6

• Multi SSID

Up to 3 SSIDs for each band (including main SSID)

Features

Parental Control, QoS (Quality of Service), Address Reservation, Port Forwarding, Cloud Firmware Upgrade, Firewall, Network Diagnostic, CWMP, Traffic Statistic, 1024-QAM, MU-MIMO, OFDMA, IPSEC VPN

Management

Local management: WebGUI management, Aginet app management Remote management: TR-069, TR-181, TR-369, TR-111,TR-143 Cloud management: TAUC

• DHCP

Server, DHCP Client List, Address Reservation

· Port Forwarding

Virtual Server, Port Triggering, UPnP, DMZ

Dynamic DNS

NO-IP, DynDNS

VPN Server

PPTP, OpenVPN, IPSec

 VPN Pass-through IPSec, PPTP, L2TP

· Access Control

Parental Control, Local Management, Host List, White/Black List

Firewall Security

DoS, SPI Firewall, IP and MAC Address Binding

### **Others**

• System Requirements

Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 7, 8, 8.1,10, MAC OS, NetWare, UNIX or Linux Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0 browers or higher.

· Certifications

FCC

Environment

Operating Temperature: 0°C~40°C (32°F~104°F) Storage Temperature: -40°C~60°C (-40°F~140°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing

Package Contents

AXE7800 Tri-Band Wi-Fi 6E Router EX920

1× RJ45 Ethernet Cable

1× Power Adapter

1× Quick Installation Guide